

TRAILERS THAT LAST





QUALITY & CUSTOMER SERVICE



3 Year Structural Warranty

Lamar's warranty covers the primary frame for 3 years

1 Year Component Warranty

Non wearing components are covered for 1 year.

Premium 3rd Party Component Warranty

Lamar uses high quality brands for parts and the warranty is covered by the parts respective manufacturer.

DECKOVER TRAILER (F8)

14,000 - 16,000 LB GVWR

GVWR 14,000 - 16,000 lbs

Weight 3,300 - 4,300 lbs

Payload 10,500 - 12,500 lbs

Axles Tandem

Lengths 16' - 24'

Width 102"

Frame 8" I-beam

Floor Treated Pine

Deck Height 36" Loading Angle 20°



F8 - Standard



8" I-Beam Frame

Tool Box Expanded Metal Tool Tray

Floor Treated Pine

Coupler 25/16" 21k Demco Adjustable Coupler 4 Weld On D-Rings

Tie Downs Rub Rail, Pipe Spools & Stake Pockets 5 24" Stand Up Ramps (19°)

Slide in Ramps (20°) Ramps

Crossmembers 16" Spacing

10k Drop-leg Jack Jack

Tires 235/80 R16 (E) 10 Ply

- 1 Spare Tire Mount
- 2 Front Tool Box
- **3** 5' Dove & Rhino Ramps (16°)



5' Dove with Rhino Ramps



4' Dove with Stand up Ramps

DECKOVER TRAILER (FS)

14,000 - 21,000 LB GVWR

GVWR 14,000 - 21,000 lbs

Weight 5,000 - 8,000 lbs

Payload 9,000 - 15,000 lbs

Axles Tandem or Triple

Lengths 25' - 40'

Widths 102"

Frame 12" I-Beam

Floor Treated Pine

Deck Height 36" Loading Angle 21°





12" I-Beam (14lb - 19lb) Frame

Tool Box Front Tool Box

Floor Treated Pine

Coupler 25/1625k Gooseneck Coupler

Tie Downs Rub Rail, Pipe Spools & Stake Pockets 5 Sliding Strap Winch Track

Ramps Slide In Ramps (21°)

Crossmembers 16" Spacing

Jack Dual 10k Drop-Leg Jacks

Spare Spare Tire & Mount

- 1 5' Dove & Rhino Ramps (17°)
- **2** 14Ply Tires
- **3** Winch Plate
- 4 Low Profile Frame

DECKOVER TRAILER (FD & FG)

20,000 - 30,000 LB GVWR

 GVWR
 20,000 - 30,000 lbs

 Weight
 6,000 - 11,000 lbs

 Payload
 12,000 - 21,000 lbs

 Axles
 Tandem or Triple

Lengths 25' - 40'

Widths 102"

Frame 12" I-Beam Treated Pine

Deck Height 38" Loading Angle 22°



FD - Standard



FG - Standard





12" I-Beam (19lb - 22lb) Frame

Tool Box Front Tool Box

Floor Treated Pine

Coupler 25/1625k Gooseneck Coupler

Rub Rail, Pipe Spools & Stake Pockets 5 4' Side Toolbox **Tie Downs**

Slide In Ramps (22°) Ramps

Crossmembers 16" Spacing

Dual 10k Drop-Leg Jacks Jack

Spare Tire & Mount **Spare**

- 1 Low Profile Pierced Beam
- 2 5' Dove & Rhino Ramps (18°)
- 3 Dual Wheels
- 4 Winch Mount



DECKOVER TILT TRAILER (FA) 14,000 - 21,000 LB GVWR

GVWR 14,000 - 21,000 lbs

5,500 - 6,000 lbs Weight

Payload 8,000 - 14,500 lbs

Axles Tandem - Triple

Lengths 24' - 26'

Widths 102"

Loading Angle 15°



FA - Tandem Axle - Standard



FA - Triple Axle - Standard



Coupler 2 5/16" 25k Coupler

HitchGooseneckFrame10" I-BeamAxles7k F7 Lube

Tie Downs D-rings, Pipe Spools & Stake Pockets

Jack Dual 10k

Floor Treated Pine

Coating Durable Powder Coat

Tires 235/80 R16 10Ply
Tilting Power up & down

Crossmembers 16" Spacing

Toolbox Front Toolbox

Side Toolbox 4' Side Toolbox

- 1 Winch Plate
- 2 Bumper Pull Hitch
- **3** 14Ply Tires
- **4** 16Ply Super Single Tires
- **5** Hydraulic Jacks







lamartrailers.com

903-782-9333 info@lamartrailers.com 7271 FM 38 N, Sumner, Texas, 75486